


ITEM	QTY -041	P/N	DESCRIPTION
	X	D5354-041	R66 FWD CLAMP ASSY, LH
1	1	D5316-1	T-BOLT STRAP
2	2	D5351-1	T-BOLT SPACER
3	1	D5354-1	SUPPORT, LH
4	2	MS21043-3	NUT, SELF-LOCKING
5	2	NAS1149D0332J	WASHER
6	A/R	PROSEAL 890	SEALANT



B D5354-041 R66 FWD CLAMP ASSY, LH

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.37 lbs
- 8) SECURE NUTS WITH 1-2 THREAD AS SHOWN
- 9) APPLY AN EVEN LAYER OF PROSEAL 890 (0.02"- 0.03" THICK) ON INSIDE SURFACE

B	REDESIGN -1/-041, ADD -2/-042, REMOVE -043 (ZN A5-1, A5-2, A5-3, A5-4); ADD NOTE 9 (ZN A8-1, A8-2)	RF	16.05.24
A	NEW ISSUE	RF	15.08.10
REV.	DESCRIPTION		DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5354	SHEET 1 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66 FWD CLAMP ASSEMBLY	NTS
DATE	16.05.24	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2016-06-29
ECN 16-579

APPROVED

ITEM	QTY -042	P/N	DESCRIPTION
	X	D5354-042	R66 FWD CLAMP ASSY, RH
1	1	D5316-1	T-BOLT STRAP
2	2	D5351-1	T-BOLT SPACER
3	1	D5354-2	SUPPORT, RH
4	2	MS21043-3	NUT, SELF-LOCKING
5	2	NAS1149D0332J	WASHER
6	A/R	PROSEAL 890	SEALANT




B D5354-042 R66 FWD CLAMP ASSY, RH

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 0.37 lbs
 - 8) SECURE NUTS WITH 1-2 THREAD AS SHOWN
 - 9) APPLY AN EVEN LAYER OF PROSEAL 890 (0.02" - 0.03" THICK) ON INSIDE SURFACE



RELEASED
2016-06-29

APPROVED
Ch


DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5354	SHEET 2 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66 FWD CLAMP ASSEMBLY	NTS
DATE	16.05.24	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




**VIEW B-B
(TYPICAL)**



SECTION A-A



VIEW C-C



D5354-1 SUPPORT, LH


NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs
- 8) UNDEFINED FEATURES CONTROLLED BY CAD FILE D5354-1 Rev. B.SLDPR



RELEASED
2016-06-29

APPROVED


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5354	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66 FWD CLAMP ASSEMBLY	NTS
DATE	16.05.24	<small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




**VIEW E-E
(TYPICAL)**



SECTION D-D



VIEW F-F



D5354-2 SUPPORT, RH

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF DART SPEC M6061T6B
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs
- 8) UNDEFINED FEATURES CONTROLLED BY CAD FILE D5354-2 Rev. B.SLDPRT

RELEASED
2016-06-29

APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	JFS	D5354	SHEET 4 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66 FWD CLAMP ASSEMBLY	NTS
DATE	16.05.24	<small>COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	